Rao Sahib I. N. Menon: (*a*) 50.

(*b*) (1) High Schools 11.

(2) L. S. Schools 30.

(3) Primary Schools 9.

Sir, I just wish to make a slight correction here. It does not mean that all these institutions are wholly unaided. For instance, in the case of a High School, the Primary and the Lower Secondary Departments will be aided in some cases.

WORKS RECOMMENDED BY THE ROAD BOARD—EXECUTION OF.

61. Mr. T. A. Ramachandra Ayyar: Will the Government be pleased to state whether all the works recommended by the Road Board for this year were taken up and whether the full amounts allotted for the year were utilised?

Mr. V. K. Aravindaksha Menon: The works recommended for this year have all been taken up. The exact information about the utilisation of funds can be ascertained only after the close of the year.

DRINKING WATER—AYLUR VILLAGE—SUPPLY OF.

62. Mr. T. V. Subramania Ayyar: Will the Government be pleased to state:—

(*a*) whether it is aware that the supply of drinking water to Aylur Village in Chittur Taluk from the taps is inadequate and that the people using these taps are put to great hardship thereby in having to wait for an inordinate length of time to have their vessels filled with water;

(*b*) will the Government be pleased to enquire into the matter and remedy it as early as possible?

Mr. V. K. Aravindaksha Menon: (*a*) The pressure of water at certain taps situated at high levels of the locality is low.

(*b*) Necessary steps are being taken to improve the water supply to the village.

Mr. T. V. Subramania Ayyar: Is there any allowance for free supply of water in the case of a private house-connection?

Mr. V. K. Aravindaksha Menon: There is no free allowance for house connections in Aylur.

LIBRARY ARCHIVES Kerala Legislative Assembly